



AQ10
COMPATIBILITY CHART
FUNGICIDES

May 2008

ACTIVE INGREDIENT	TRADE NAME	COMPATIBILITY'
AZOXYSTROBIN	QUADRIS	
<i>Bacillus subtilis</i> QST 713	SERENADE MAX	
BENALAXYL	many	
BITERTANOLE	PROCLAIM	
BORDEAUX MIXTURE	many	
BOSCALID	CANTUS	
BUPIRIMATE	NIMROD	-
CAPTAN	many	
CHLOROTHALONIL	DACONIL	
COPPER HYDROXIDE	KOCIDE/HELIOCUIVRE	
COPPER OXYCHLORIDE	many	
CYAZOFAMID	MILDICUT	
CYMOXANIL	CURZATE 50%	
CYPROCONAZOLE	ATEMI/CADDY	
CYPRODINIL + FLUDIOXONIL	SWITCH	
DICHLORAN	many	-
DIFENOCONAZOLE	SCORE	-
DIMETHOMORPH	FORUM 50 WP	
DITHIANON	DELAN	
DODINE	SYLLIT	
FAMOXADONE	EQUATION PRO	
FENAMIDONE	ELICIO	
FENARIMOL	RUBIGAN	
FENBUCONAZOLE	INDAR	-
FENHEXAMID	TELDOR	
FLUAZINAM	OHAYO	
FOLPET	many	
FOSETYL-ALUMINIUM	ALIETTE 80%	
IMAZALIL	DECCOZIL	-
IPRODIONE	ROVRAL	
IPROVALICARB	MELODY COMPACT	
KRESOXIM METHYL	STROBY	
LIME SULPHUR	POLICALCIO	-
MANCOZEB	DITHANE DG	
MANEB	many	

MEPANIPYRIM	FRUPICA	
MEPTYLDINOCAP	KARATHANE STAR	
METALAXYL	RIDOMIL	
METIRAM	POLYRAM DF	
MYCLOBUTANIL	THIOCUR	
PENCONAZOLE	TOPAS	
PROCHLORAZ	many	-
PROPAMOCARB	PREVICUR	-
PROPICONAZOLE	TILT	
PROPINEB	ANTRACOL	
PROQUINAZID	TALENDO	
PYRIMETHANIL	SCALA	
QUINOXYFEN	ARIUS	
SPIROXAMINE	PROSPER	
SULPHUR	many	
SULPHUR + TERPENIC ALCOHOL	HELIOSOUFRE	
TEBUCONAZOLE	FOLICUR	
TETRACONAZOLE	DOMARK	-
THIOPHANATE-METHYL	many	
THIABENDAZOLE	many	-
THIRAM	many	
TOLCLOFOS-METHYL	many	-
TRIADIMENOL	BAYFIDAN	
TRIFLOXYSTROBIN	FLINT	
TRIFORINE	RUBIGAN	
ZINEB	many	
ZIRAM	many	
ZOXAMIDE	ELECTIS R	

EXPLANATORY NOTES

	COMPATIBLE in tank mixture without significant spore germination reduction
	PARTIALLY COMPATIBLE , a certain level of reduction in spore germination could occur; tank mix the fungicide with AQ 10, and apply spray solution within 30 minutes from tank mixing
	NOT COMPATIBLE, do not tank mix with AQ10 ; apply AQ10 5 days before or after the fungicide treatment
-	NO DATA AVAILABLE
	New entry in the chart

N.B. All products were tested at manufacturers recommended rates. Mix AQ10 with fungicides only at tank mix concentration. Never mix AQ10 with a fungicide in its concentrated form. The fungicides trade name is indicative of the form in which the active ingredient was tested. Other formulations may be more or less harmful. In case 2 or more fungicides are tank mixed, consider always the worst case. This edition is for international purposes, some products may not be registered in some countries or in certain crops. No liability will be accepted for any loss or damage as a result of using products listed in this chart.

For any further information please contact:



INTRACHEM BIO ITALIA S.p.A., Servizio Tecnico e R. & D.
Via Calcinaro 2085/ int.7, 47023 Cesena (FC)
Tel. 0547 630336, Fax 0547 632685
e-mail: sti@intrachem.com